

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Carecoat Recoseal 10**
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses professional use

1.3 Details of the supplier of the safety data sheet

Marine Care B.V.
Oude Maasweg 35, Port number 4005
3197 KJ Rotterdam-Botlek
Netherlands

Telephone: +(31) 10 29 50 342
e-mail: operations@marinecare.nl
Website: www.marinecare.nl

1.4 Emergency telephone number

Emergency information service **+(31) 10 29 50 342**

Poison centre					
Country	Name	Street	Postal code/ city	Telephone	Telefax
Netherlands	Nationaal Vergiftigingen Informatie Centrum			+31 30 274 8888	
Norway	Norwegian Poison Information Centre			+47 22 559 13 00	
United States	Infotrac			+1 800-535-5053	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard state-ment
2.6	flammable liquid	Cat. 2	(Flam. Liq. 2)	H225
3.2	skin corrosion/irritation	Cat. 1B	(Skin Corr. 1B)	H314
3.3	serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318
3.4S	skin sensitisation	Cat. 1	(Skin Sens. 1)	H317

Remarks

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word **Danger**

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

Pictograms

GHS02, GHS05,
GHS07



Hazard statements

H225 Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool.

Hazardous ingredients for labelling: 3-aminopropyltriethoxysilane

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
Trimethoxy(methyl)silane	CAS No 1185-55-3 EC No 214-685-0	25 - < 50	Flam. Liq. 2 / H225	
3-aminopropyltriethoxysilane	CAS No 919-30-2 EC No 213-048-4	5 - < 10	Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317	
Dimethoxydimethylsilane	CAS No 1112-39-6 EC No 214-189-4	5 - < 10	Flam. Liq. 2 / H225	
Trimethoxyphenylsilane	CAS No 2996-92-1 EC No 221-066-9	5 - < 10	Flam. Liq. 3 / H226 Acute Tox. 4 / H302 STOT RE 2 / H373	


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
Methanol	CAS No 67-56-1 EC No 200-659-6	< 1	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

water spray, fire extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

• Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

• Warning

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feed-stuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

• Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

• Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

• Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Source
EU	methanol	67-56-1		IOEL V	200	260					2006/15/EC
NL	methanol	67-56-1		GW		133					SC-SZW

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur.

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified).

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified).

Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
3-aminopropyltriethoxysilane	919-30-2	DNEL	59 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
3-aminopropyltriethoxysilane	919-30-2	DNEL	59 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
3-aminopropyltriethoxysilane	919-30-2	DNEL	8,3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3-aminopropyltriethoxysilane	919-30-2	DNEL	8,3 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Dimethoxydimethylsilane	1112-39-6	DNEL	88,4 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Dimethoxydimethylsilane	1112-39-6	DNEL	7,44 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Trimethoxyphenylsilane	2996-92-1	DNEL	40,2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Trimethoxyphenylsilane	2996-92-1	DNEL	2,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Methanol	67-56-1	DNEL	40 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	40 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

• relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
3-aminopropyltriethoxysilane	919-30-2	PNEC	0,33 mg/l	aquatic organisms	freshwater	short-term (single instance)
3-aminopropyltriethoxysilane	919-30-2	PNEC	0,033 mg/l	aquatic organisms	marine water	short-term (single instance)
3-aminopropyltriethoxysilane	919-30-2	PNEC	13 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3-aminopropyltriethoxysilane	919-30-2	PNEC	1,2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3-aminopropyltriethoxysilane	919-30-2	PNEC	0,12 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3-aminopropyltriethoxysilane	919-30-2	PNEC	0,05 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dimethoxydimethylsilane	1112-39-6	PNEC	0,234 mg/l	aquatic organisms	freshwater	short-term (single instance)
Dimethoxydimethylsilane	1112-39-6	PNEC	0,023 mg/l	aquatic organisms	marine water	short-term (single instance)
Dimethoxydimethylsilane	1112-39-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dimethoxydimethylsilane	1112-39-6	PNEC	0,994 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dimethoxydimethylsilane	1112-39-6	PNEC	0,1 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dimethoxydimethylsilane	1112-39-6	PNEC	0,062 mg/kg	terrestrial organisms	soil	short-term (single instance)
Trimethoxyphenylsilane	2996-92-1	PNEC	0,24 mg/l	aquatic organisms	freshwater	short-term (single instance)
Trimethoxyphenylsilane	2996-92-1	PNEC	0,024 mg/l	aquatic organisms	marine water	short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Trimethoxyphenylsilane	2996-92-1	PNEC	74 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Trimethoxyphenylsilane	2996-92-1	PNEC	1,1 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Trimethoxyphenylsilane	2996-92-1	PNEC	0,11 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Trimethoxyphenylsilane	2996-92-1	PNEC	0,08 mg/kg	terrestrial organisms	soil	short-term (single instance)
Methanol	67-56-1	PNEC	100 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Methanol	67-56-1	PNEC	77 mg/kg	benthic organisms	sediments	short-term (single instance)
Methanol	67-56-1	PNEC	7,7 mg/kg	pelagic organisms	sediments	short-term (single instance)
Methanol	67-56-1	PNEC	20,8 mg/l	aquatic organisms	freshwater	short-term (single instance)
Methanol	67-56-1	PNEC	2,08 mg/l	aquatic organisms	marine water	short-term (single instance)
Methanol	67-56-1	PNEC	1.540 mg/l	aquatic organisms	water	intermittent release
Methanol	67-56-1	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Methanol	67-56-1	PNEC	77 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Methanol	67-56-1	PNEC	7,7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Methanol	67-56-1	PNEC	100 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

Nitrile

• material thickness

0.24 mm.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Half mask (EN 140). Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White). Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	various
Odour	characteristic

Other physical and chemical parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	≥81 °C at 101,1 kPa
Flash point	-10,5 °C at 101 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapour pressure	7.400 Pa at 25 °C
Density	not determined
Relative density	Information on this property is not available.
Solubility(ies)	not determined
Partition coefficient	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	238 °C
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): risk of ignition

- **if heated**

risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula)

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

• Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
3-aminopropyltriethoxysilane	919-30-2	oral	500 mg/kg
Trimethoxyphenylsilane	2996-92-1	oral	1.049 mg/kg
Methanol	67-56-1	oral	100 mg/kg
Methanol	67-56-1	dermal	300 mg/kg
Methanol	67-56-1	inhalation: vapour	3 mg/l/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

SZW list of carcinogenic, mutagenic and reproductive toxic substances, Ministry of Social Affairs and Employment

Name acc. to inventory	CAS No	Carcinogenicity	Mutagenicity	Reproductive toxicity
methanol	67-56-1			repr D1B

Legend

D1B Development category 1B.
Repr Listed in "NIET-limitative list of reproductive toxic substances".

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Trimethoxy(methyl)silane	1185-55-3	LC50	>110 mg/l	fish	96 h
Trimethoxy(methyl)silane	1185-55-3	EC50	>122 mg/l	aquatic invertebrates	48 h
3-aminopropyltriethoxysilane	919-30-2	LC50	>934 mg/l	fish	96 h
3-aminopropyltriethoxysilane	919-30-2	EC50	331 mg/l	aquatic invertebrates	48 h
3-aminopropyltriethoxysilane	919-30-2	ErC50	>1.000 mg/l	algae	72 h
Dimethoxydimethylsilane	1112-39-6	LC50	>126 mg/l	fish	96 h
Dimethoxydimethylsilane	1112-39-6	EC50	>100 mg/l	aquatic invertebrates	48 h
Dimethoxydimethylsilane	1112-39-6	ErC50	>118 mg/l	algae	72 h
Trimethoxyphenylsilane	2996-92-1	LC50	>100 mg/l	fish	96 h
Trimethoxyphenylsilane	2996-92-1	EC50	>100 mg/l	aquatic invertebrates	48 h
Trimethoxyphenylsilane	2996-92-1	ErC50	>100 mg/l	algae	72 h
Methanol	67-56-1	LC50	15.400 mg/l	fish	96 h
Methanol	67-56-1	EC50	12.700 mg/l	fish	96 h
Methanol	67-56-1	ErC50	22.000 mg/l	algae	96 h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Methanol	67-56-1	oxygen depletion	76 %	5 d

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Trimethoxy(methyl)silane	1185-55-3		0,7 (pH value: ~7, 20 °C)	
3-aminopropyltriethoxysilane	919-30-2	3,4	1,7 (pH value: 7, 20 °C)	
Dimethoxydimethylsilane	1112-39-6		2 (pH value: 7, 20 °C)	
Methanol	67-56-1		-0,77	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	2924
14.2	UN proper shipping name Hazardous ingredients	FLAMMABLE LIQUID, CORROSIVE, N.O.S. Trimethoxy(methyl)silane, 3-aminopropyltriethoxysilane
14.3	Transport hazard class(es) Class Subsidiary risk(s)	3 (flammable liquids) 8 (corrosive effects)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)


UN number	2924
Proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
Particulars in the transport document	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., (contains: Trimethoxy(methyl)silane, 3-amino-propyltriethoxysilane), 3 (8), II, (D/E)
Class	3
Classification code	FC
Packing group	II
Danger label(s)	3+8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	338

• International Maritime Dangerous Goods Code (IMDG)

UN number	2924
Proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
Particulars in the shipper's declaration	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., (contains: Trimethoxy(methyl)silane, 3-amino-propyltriethoxysilane), 3 (8), II, -10,5°C c.c.
Class	3
Subsidiary risk(s)	8
Packing group	II
Danger label(s)	3+8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-C
Stowage category	B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU


CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	2924
Proper shipping name	Flammable liquid, corrosive, n.o.s.
Particulars in the shipper's declaration	UN2924, Flammable liquid, corrosive, n.o.s., (contains: Trimethoxy(methyl)silane, 3-aminopropyltriethoxysilane), 3 (8), II
Class	3
Subsidiary risk(s)	8
Packing group	II
Danger label(s)	3+8



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 64,44 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 64,44 %

National regulations (Netherlands)

• Algemene Beoordelingsmethodiek, ABM 2016 (general assessment methodology, GAM)

Water hazard and decontamination effort

B low hazard for aquatic organisms (4) B

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

Abbr.	Descriptions of used abbreviations
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SC-SZW	Staatscourant: Regeling van de Minister van Sociale Zaken en Werkgelegenheid tot wijziging van de Arbeidsomstandighedenregeling
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by
2015/830/EU

CARECOAT RECOSEAL 10

Version number: GHS 2.0
Replaces version of: 21.08.2018 (GHS 1)

revision: 08.04.2019

Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.