

NEPTUNA 2T RACING



Semi-synthetic oil for all 2-stroke petrol engines, direct injection or not, pleasure or sports craft

APPLICATIONS

**2-stroke petrol engines
under harsh use**

- Highly efficient synthetic-based oil for all 2-stroke petrol engines running at high engine speeds
- Suitable for all types of 2-stroke engines, including direct injection engines. Mixing with the fuel should be in accordance with the manufacturer's recommendations

PERFORMANCE

**NMMA TC-W3 RL
API TC level**

**Conforming to the
manufacturer's
requirements**

- NMMA TC-W3 ® RL- 00182F officially approved
- Conforming to the requirements of API TC

Has the capability required by the following manufacturers: BOMBARDIER, SEA-DOO, EVINRUDE, JOHNSON, KAWASAKI, MARINER, MERCURY, SUZUKI, YAMAHA, TOHATSU...

CLIENT ADVANTAGES

**Prolonged
engine life**

Smoke reduction

Easy pre-mixing

- Withstands the high pressures and temperatures of modern engines
- Fortified lubrication capacity to reduce wear
- Detergent property to prolong engine life
- Contributes to complete combustion thus reducing smoke and exhaust deposits
- Excellent anti-corrosion capability to provide protection for the engine internal components
- Optimised viscosity to facilitate dilution in the fuel and provide a stable, homogenous pre-mix, even at low temperature. May be used for in-line mixing.

CHARACTERISTICS

NEPTUNA 2T RACING	Units	
Colour	-	Blue-green
Volumetric mass at 15°C	kg/m ³	877
Kinematic viscosity at 100°C	mm ² /s	9.1
Flash point	°C	122
Pour point	°C	- 36

The values for the data given in this table are typical values given by way of information only

TOTAL LUBRIFIANTS
16, rue de la République
F- 92800 PUTEAUX
1/1

NEPTUNA 2T RACING
July 2005
N°07/05



This lubricant, used in accordance with our recommendations and for the application for which it is intended, does not constitute a special hazard. A safety data file conforming to the requirements of current EC legislation is available from your local trade consultant.