

# POSITION MONITORED BALL VALVE

Designed and made in New Zealand for use in marine applications above and below the water line, our Ball Valves are IMCI approved to ISO standard 9093-2, and are ideal for controlling inlet and outlet water requirements.

Position Monitoring allows remote monitoring of Ball Valve Position. The Position Monitoring circuit can also be used as part of an engine or generator start interlock to ensure these don't start without cooling water available.

The body of the Ball Valve is manufactured in glass reinforced nylon composite with high impact and tensile strength resulting in a light weight unit, free from corrosion and electrolysis issues. The ball and sealing rings utilise a PTFE polymer to ensure a smooth action, and continuous ease of operation over many years. The Ball Valve is available in both BSP and NPS thread forms and can be locked in the closed position for use on toilet waste outlets.

#### MODELS

Internal	BSP Thread		
diameter	Part #	Description	
19mm [¾"]	90473	Ball Valve Position Monitored ½" BSP	
	90277	Ball Valve Position Monitored ¾" BSP	
	90243	Ball Valve Position Monitored 1" BSP	
32mm [1¼"]	90239	Ball Valve Position Monitored 1¼" BSP	
	90236	Ball Valve Position Monitored 1½" BSP	
52mm [2"]	90474	Ball Valve Position Monitored 2" BSP	

NPS Thread		
Part #	Description	
90653	Ball Valve Position Monitored ½" NPS	
90654	Ball Valve Position Monitored ¾" NPS	
90655	Ball Valve Position Monitored 1" NPS	
90656	Ball Valve Position Monitored 11/4" NPS	
90657	Ball Valve Position Monitored 11/2" NPS	
90658	Ball Valve Position Monitored 2" NPS	

Ball Valves are supplied with spanner and installation instructions

Part #	Description	
90412	Panel Display Ball Valve	

Ball Valve Display Panel is supplied with wiring, installation instructions and marking labels


#### Doc: PIS - Ball Valve Position Monitored 4.1.docx

LEADERS IN MARINE COMPOSITE FITTINGS

Page 1 of 8







LEADERS IN MARINE COMPOSITE FITTINGS



## **STANDARDS**

Tru-Design Ball Valves are certified by the International Marine Certification Institute (IMCI) to meet:

> ISO 9093-2 Small craft -- Seacocks and through-hull fittings -- Part 2: Non-metallic

In meeting ISO 9093-2, our Ball Valves have been tested with a 155kg load hanging off a hose fitting while connected to our Skin Fitting as shown.

The locking feature allows the Ball Valve to comply with US Coast Guard Regulation 33 CFR 159.7 and ISO Standard 8099 for locking of toilet waste outlets.

### SPECIFICATIONS – Ball Valves

The connecting threads on each end of the Ball Valves are a parallel thread form. These parallel threads are designed so that thread tape is wound onto a male skin fitting or tail then screwed into the ball valve. The advantage of parallel threads over tapered is that there is maximum engagement between the mating threads providing a strong and watertight seal.

Mixing parallel and tapered threads can cause strength and sealing problems as the engagement can frequently be only a few turns.

Ball Valves are available in;

- BSP (British Standard Pipe)
- NPS (National Pipe Straight)

The Position Monitoring function switches state when the Ball Valve is in the open position.

Valve closed signal

Supply (10-32V)

Valve open signal

BLUE

RED

GREEN -

Doc: PIS - Ball Valve Position Monitored 4.1.docx

Maximum switching current - 500mA

Wire length -2m (6.5')









#### **SPECIFICATIONS – Display Panel**

Supply voltage 9.5 – 12V DC

The Ball Valve Display Panel is supplied with the following;

- Display Panel
- Installation instructions
- 2x hookup wire with connector 2.5m (8.2')
- Mounting screws and covers
- Sticker Sheet with the following options

AIRCON INTAKE	ENGINE INTAKE	HOLDING TANK OUTLET PORT	TOILET INTAKE STABD
BAIT TANK INTAKE	ENGINE INTAKE PORT	HOLDING TANK OUTLET STBD	TOILET OUTLET
BLACK WATER	ENGINE INTAKE	SALTWATER	TOILET OUTLET
OUTLET	STBD	WASH INTAKE	AFT
BLACK WATER OUTLET AFT	GENSET INTAKE	TOILET INTAKE	TOILET OUTLET FWD
BLACK WATER	HOLDING TANK	TOILET INTAKE	TOILET OUTLET
OUTLET FWD	OUTLET	AFT	PORT
BLACK WATER	HOLDING TANK	TOILET INTAKE	TOILET OUTLET
OUTLET PORT	OUTLET AFT	FWD	STBD
BLACK WATER	HOLDING TANK	TOILET INTAKE	WATERMAKER
OUTLET STBD	OUTLET FWD	PORT	INTAKE

#### WEIGHT

Internal Diameter	Thread Size	Weight (g)	Weight (oz)
19mm [¾"]	1⁄2", 3⁄4", 1"	350	12.3
32mm [1¼"]	1¼", 1½"	500	17.6
52mm [2"]	2"	750	26.4
90412 Panel	Display Ball Valve	230	8.1

Doc: PIS - Ball Valve Position Monitored 4.1.docx

Page 4 of 8







#### DIMENSIONS


All dimensions nominal.

19mm [¾"] ID

<sup>1</sup>/<sub>2</sub>" BSP, <sup>3</sup>/<sub>4</sub>" BSP, 1" BSP <sup>1</sup>/<sub>2</sub>" NPS, <sup>3</sup>/<sub>4</sub>" NPS, 1" NPS









Doc: PIS - Ball Valve Position Monitored 4.1.docx

PRODUCT

INFORMATION







LEADERS IN MARINE COMPOSITE FITTINGS





#### INSTALLATION

Full wiring instructions are supplied with the Position Monitored Ball Valve. Full installation instructions and hardware are provided with the Ball Valve Display Panel.

If the valve is to be assembled to a skin fitting, ensure that the position of the skin fitting is such that it will be in a protected area, but readily accessible.

Ensure threads of mating fittings have a parallel thread and it is clean and undamaged.

Apply sealing tape to the thread of the Skin Fitting or Tail.

Screw ball valve onto the mating fitting using the correct Ball Valve Spanner (available from Tru-Design), or other appropriate tool.

Tighten any attached fittings to a maximum of 16Nm (12ft/lbs).

Check that the final position of the Ball Valve is such that it allows full movement of the handle from the open to closed position, and that it is clear of objects which may cause inadvertent operation.

NOTE - It is recommended that the padlock is not fitted to the exposed tag in the open position. There is a risk that in an emergency situation the seacock cannot be closed easily.

#### SERVICING

As composite Ball Valves are immune to corrosion, minimal servicing is required.

The Ball Valve should be operated at regular intervals to ensure barnacles etc do not block the operation of the valve.

The spanner can often be misplaced, so when changing plumbing layouts etc, a new spanner can be supplied.

Part #	Description	
90476	Spanner Ball Valve ½"	
90477	Spanner Ball Valve ¾" & 1"	
90478	Spanner Ball Valve 1¼" & 1½"	
90479	Spanner Ball Valve 2"	



Tru-Design Plastics Ltd. accepts no responsibility for Products which are improperly installed or tampered with. Although the information presented in this product information sheet is believed to be accurate and reliable, no responsibility for inaccuracies can be assumed by Tru-Design Plastics Ltd. This performance data is typical only and variations due to component manufacturing tolerances are normal. Tru-Design Plastics Ltd, all rights reserves the right at any time to change performance characteristics or specifications without prior notice. Tru-Design Plastics Ltd, all rights reserved.

Doc: PIS - Ball Valve Position Monitored 4.1.docx

Page 8 of 8

LEADERS IN MARINE COMPOSITE FITTINGS

